


Requirements for City of Moorhead Garbage Dumpster Screening

Typical Sizes of Containers	
1 to 2 Yard	78" wide x 39" deep
3 & 4 Yard	78" wide x 80" deep
6 Yard	78" wide x 126" deep

Screening Fence Dimensions								
Container Dimensions			Single Container			Double Container		
Volume	Width	Depth	Fence Dimension		Fence Dimension		Fence Dimension	
Yards	Feet	Feet	Width	Depth	Width	Depth	Width	Depth
			Feet	Feet	Feet	Feet	Feet	Feet
1	6.5	2.33	12.5	5.33	22	5.33		
1.5	6.5	3.25	12.5	6.25	22	6.25		
2	6.5	5.00	12.5	8.00	22	8.00		
3 & 4	6.5	6.66	12.5	9.66	22	9.66		
6	6.5	10.50	12.5	13.50	22	13.50		



City Code 10-19-7: REFUSE AND RECYCLING SPACES must be followed at all

Containers must be placed on a 4 inch thick hard surface (Concrete or asphalt) with a minimum of 3 feet on all sides of container. For gates, the 3 foot side measurement is from where the gates hinge and must make a clear opening between gate posts. Gates must be able to be secured while open and closed and must swing freely when used, even in snow.

A clear 60 foot by 12 foot wide approach is needed for the truck to back in, call the Sanitation Manager for site evaluation if turning is required to get to enclosure.

If space is a problem, there are alternatives to a fixed fence. These can be discussed with the Sanitation Manager if done prior to building or if you have a previously established business.

The property owner is responsible for maintaining the screen, keeping refuse in the container, keeping container clean and ensuring all snow and ice is removed from enclosure prior to pickup.

If there are any questions please call 299-5347.